

UNCLASSIFIED

AD 263 260

*Reproduced
by the*

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

260
263
260
ASTIA
263
260
CATALOGED
AS AD NO.

US ARMY MEDICAL RESEARCH LABORATORY

FORT KNOX, KENTUCKY



REPORT NO. 490

CONTRALATERAL THRESHOLD SHIFT AND REDUCTION IN TEMPORARY THRESHOLD SHIFT AS INDICES OF ACOUSTIC REFLEX ACTION

Capt J. L. Fletcher, MSC
M. Loeb, Ph.D.

XEROX

Audition and Auditory Perception in Relation to Performance
Task No. 02
Psychophysiological Studies
USAMRL Project No. 6X95-25-001



UNITED STATES ARMY
MEDICAL RESEARCH AND DEVELOPMENT COMMAND

22 August 1961

Report Submitted 13 June 1961

Authors

Capt J. L. Fletcher, MSC
(Ph. D)

Audition Branch
Psychology Division

M. Loeb, Ph. D.

Chief, Audition Branch
Psychology Division

Qualified requestors may obtain copies of this report from ASTIA.

Foreign announcement and dissemination of this report by ASTIA is limited.

Report No. 490
USAMRL Project No. 6X95-25-001-02

ABSTRACT

CONTRALATERAL THRESHOLD SHIFT AND REDUCTION IN TEMPORARY THRESHOLD SHIFT AS INDICES OF ACOUSTIC REFLEX ACTION

OBJECT

To compare narrow band noise and clicks as AR eliciting stimuli and to correlate the contralateral TS and TTS reduction methods of estimating amount of reflex activation.

RESULTS

Contralateral shifts produced by the clicks and by the noise were of the same order of magnitude. However, considerable adaptation of the AR was observed for the noise stimulus, none for the clicks. Correlations between contralateral TS and TTS reduction were small and not statistically significant.

CONCLUSIONS

Click AR eliciting stimuli are superior to noise stimuli because no decrease in reflex activity (adaptation) is observed over a period of at least two minutes. Perhaps because of individual differences in susceptibility to noise, no relation can be observed between the TS and TTS methods of estimating AR activity.

RECOMMENDATIONS

Click stimuli should be used to elicit AR response because of their demonstrated nonadaptability over time. Additional research should be performed to investigate the reasons for the lack of correlation between two methods that apparently measure or estimate the same phenomenon.

APPROVED: George S. Guedry
for FREDERICK E. GUEDRY, JR., Ph. D.
Director, Psychology Division

APPROVED: Floyd A. Odell
For FLOYD A. ODELL, Ph. D.
Technical Director of Research

APPROVED: Harold W. Glascock, Jr.
HAROLD W. GLASCOCK, JR.
Colonel, Medical Corps
Commanding

CONTRALATERAL THRESHOLD SHIFT AND REDUCTION IN TEMPORARY THRESHOLD SHIFT AS INDICES OF ACOUSTIC REFLEX ACTION

I. INTRODUCTION

Several different techniques have been used in the determination and measurement of the activity of the stapedius and tensor tympani muscles (acoustic reflex or AR). Among the methods employed were measurement of changes in cochlear microphonics (1-3), measurement of threshold shift in the contralateral ear (TS) (4, 5), and the temporary threshold shift (TTS) reduction technique (6). Other techniques that have been used include the impedance change method (7), and the manometric method (8). A more detailed account of other means of observing or measuring acoustic reflex contractions may be found in Wersall's excellent monograph (9).

Examination of the research in this area reveals that much ingenuity and considerable work has been directed toward the development of ways of detecting and measuring AR contractions in man and animals. But no research can be found where attempts have been made to relate data by one technique to those obtained through another method. This research will relate the data obtained by the TS method to that obtained using the reduction in TTS technique.

Previous research (6) has shown that reduction in TTS (protection) afforded by pure tones presented prior to exposure to loud impulse noises was of considerable magnitude. Recent research (10) has demonstrated that either narrow band noise (NBN) or broad band noise was more effective in arousing AR responses than were pure tones with NBN significantly better than the broad band noise. Preliminary findings from research undertaken prior to this experiment showed that clicks were more effective than NBN in producing TS in the contralateral ear. A similar determination should be made of the protective value of clicks and of NBN as AR eliciting stimuli.

Contraction of the AR serves to attenuate sound transmission through the middle ear. In general, the greater the magnitude of the muscle contractions (stapedius and tensor tympani, particularly the stapedius), the more the sound being transmitted through the middle ear will be attenuated (9). It is reasonable, therefore, to assume that a large TS for a given AR activating sound is indicative of a considerable AR contraction, and further, because attenuation by the AR is great,

should be associated with a small TTS after exposure to loud impulse noise while protected by the AR so elicited.

The objective of this investigation, then, was to relate TS and TTS estimates of AR activity and to determine the relative efficiency of NBN and clicks as AR eliciting stimuli using both the TS and TTS methods.

II. METHOD, APPARATUS, PROCEDURE AND SUBJECTS

The experimental methods used were essentially those described by Loeb and Riopelle (4) and Fletcher and Riopelle (6), except that the reflex activating stimuli were presented through earphones in both phases of this research. The TS method was utilized in Phase I of this experiment, while the TTS method was used in Phase II.

In Phase I, threshold for a 500 cps tone was obtained in the right ear (hereafter called the test ear) for 30 seconds with a Grason-Stadler Model E-800 Bekesy audiometer. At the end of the 30 second period the click stimuli or a narrow band noise was introduced in the other ear (referred to as the reflex ear). The subject meanwhile continued to track the 500 cps tone in the test ear. The reflex eliciting stimuli were continued for two minutes in the reflex ear, then terminated. The S, however, continued to track his threshold in the test ear for another 30 seconds following cessation of the AR eliciting sound in order to establish a post-exposure threshold for comparison with the threshold before and during presentation of the activating stimulus. Thus we have the S operating the audiometer to determine his threshold for a 500 cps tone for three minutes, with a 30 second threshold determination before presentation of the activating stimulus, two minute threshold determination during presentation of the eliciting stimulus, and a 30 second post-activation reference.

The NBN stimulus was provided by feeding the output of a General Radio random noise generator through a Krohn-Hite active filter. The cut-off values were set at 2000 and 2200 cps. Slope for the Krohn-Hite filter, as cited by the manufacturer is 48 db/octave.

Clicks were furnished by a Tektronix pulse generator with a rate of 15 per second and a duty cycle of 10%.

Data for Phase I were collected in an anechoic chamber with an ambient noise level of 28 db; while those for Phase II, (TTS) which involved firing, were obtained in a sound treated mobile laboratory whose ambient noise level was 35 db.

In both phases of this experiment the NBN reflex eliciting stimulus was set at 100 db sensation level (SL). In the TS phase clicks were presented at 100 and 110 db SL clicks; while only the 110 db SL clicks were used in the TTS phase.

With three exceptions, the TS data were collected prior to the TTS data.

The gunfire exposure sound, used in Phase II, was provided by a 30 cal. machine gun and consisted of the firing of 125 rounds singly, with random time intervals of 1-3 seconds between rounds. In Phase II the pre- and post-exposure thresholds were for sweep frequencies from 250-8000 cps. Reflex activating stimuli (110 db SL clicks or 100 db noise) were initiated 150 msec before each gunshot and terminated at the time of firing. Post-exposure threshold determinations were begun within 15-30 seconds after firing of the last round. The threshold obtained in Phase I was for a 500 cps tone only (this was in order to minimize possible masking effects due to bone conduction of the sound from the reflex ear to the test ear).

Sixteen subjects, ranging in age from 19 to 53 were used in the experiment. No screening for hearing deficit was performed. There were three experimental sessions in both the TS and the TTS portions of the experiment and all Ss served under all conditions. A Latin square design was utilized to insure that within the group each stimulus appeared equally often first, second, or third in order. An exception to this provision was S No. 16, who was run first in order in both Phase I and Phase II.

III. RESULTS

Results of the TS portion of the experiment may be seen in Figure 1, page 4. Notice that "adaptation" or a decrease in attenuation occurred for the NBN reflex sound over time, while no such occurrence accompanied stimulation by either of the click stimuli. Initially, TS was the same for the NBN and the 100 db SL click. Two minutes later, however, they differed by over 8 db. Wilcoxon T tests were used to determine the statistical significance of the differences noted in Figure 1. Table 1, page 5, presents the results of the tests. Table 1 shows that the 110 db click reflex eliciting sound was significantly better than either the NBN or the 100 db SL click during exposure, and did not differ significantly from them upon termination of exposure. The decrease in TS over time found with NBN reflex arousal was of statistical significance, as was the difference between the reaction to the 100 and the

● NARROW BAND NOISE
 ○ 100 db SL CLICKS
 △ 110 db SL CLICKS




Fig. 1. Threshold shift during contralateral stimulation by click and noise.

TABLE 1

RESULTS OF THE WILCOXON T TEST FOR SIGNIFICANCE OF
THE DIFFERENCES AMONG EXPERIMENTAL CONDITIONS

| <u>Stimulus</u> | <u>Conditions</u> | <u>Significance</u> |
|--------------------|-------------------|---------------------|
| NBN | 1-6 | ** |
| NBN | 1-5 | ** |
| NBN | 2-4 | ** |
| NBN | 4-5 | ** |
| NBN | 4-6 | ** |
| 100 db Click | 1-6 | ** |
| 100 db Click | 1-5 | ** |
| 100 db Click | 2-4 | ** |
| 100 db Click | 4-5 | ** |
| 100 db Click | 4-6 | ** |
| 110 db Click | 1-6 | ** |
| 110 db Click | 1-5 | ** |
| 110 db Click | 2-4 | NS |
| 110 db Click | 4-5 | ** |
| 110 db Click | 4-6 | ** |
| NBN - 100 db Click | 2-2 | NS |
| 100 - 110 db Click | 2-2 | ** |
| NBN - 110 db Click | 2-2 | ** |
| NBN - 100 db Click | 4-4 | ** |
| 100 - 110 db Click | 4-4 | ** |
| NBN - 110 db Click | 4-4 | ** |
| NBN - 100 Click | 5-5 | NS |
| NBN - 110 db Click | 5-5 | NS |
| 100 - 110 db Click | 5-5 | NS |

** Significant beyond the 1% level of confidence.

110 db SL clicks. The negative adaptation (slight increase in attenuation) found during stimulation with the 100 db SL click was statistically significant but is of insufficient magnitude to be of practical importance. It is of interest to note that increasing the magnitude of the click 10 db resulted in a 10 db increase in the amount of TS produced. These results suggested that masking rather than, or in company with, reflex action could be occurring. This was checked by assuming 60 db attenuation through the skull and then having several subjects begin tracking their threshold to a 500 cps tone and adding a 50 db SL click in the same phone

used to determine threshold. This method indicated that about 10 db masking of the 500 cps tone resulted when a 50 db SL click was added. When the clicks were decreased to 40 db SL the masking was reduced to less than 5 db. Therefore we concluded that nearly all the 500 cps TS resulting from contralateral stimulation by the 100 db SL clicks is due to reflex action rather than masking. Similarly, the results from NBN are also reflex attenuation rather than masking, as the remote masking of a 500 cps tone by a narrow band noise of this nature should be negligible.

Results from Phase II, the TTS data, are shown in Figure 2. The




Fig. 2. TTS following firing without AR and with click and NBN AR stimuli.

"protection" (in db TTS) due to AR responses elicited by both the click and the NBN stimulus stimuli was statistically significant (see Table 2, summary of the analysis of variance). "Protection", in this experiment,

TABLE 2

SUMMARY TABLE OF THE 3 X 7 X 16 ANALYSIS OF VARIANCE

| <u>Source</u> | <u>$\Sigma Sq.$</u> | <u>df</u> | <u>$\bar{X} Sq.$</u> | <u>Error Term</u> | <u>F</u> |
|-----------------|--------------------------------|-----------|---------------------------------|-------------------|----------|
| Conditions (C) | 9260 | 2 | 4630 | 5 | 13.81** |
| Frequencies (F) | 5258 | 6 | 876.33 | 6 | 8.38** |
| Subjects (S) | 7267 | 15 | 484.47 | 7 | 7.63** |
| C x F | 2444 | 12 | 203.67 | 7 | 3.21** |
| C x S | 10057 | 30 | 335.23 | 7 | 5.28** |
| F x S | 9407 | 90 | 104.52 | 7 | 1.65** |
| C x F x S | 11421 | 180 | 63.46 | - | ---- |

**Significant beyond the 1% level of confidence.

as in that of Fletcher and Riopelle (6), is defined as the number of db TTS difference between the TTS observed under the no AR experimental condition and that found following the same firing exposure with the AR activated by one or the other of the reflex activating stimuli.

Pearson product-moment correlations were calculated to determine the relationships, if any, obtaining between the TS and TTS data. The parametric conditions correlated were TS for the 110 db SL click and NBN and TTS for click and NBN at 1000, 2000, 6000, and 8000 cps. TS was also correlated with mean TTS and percentage TTS reduction. All such correlations were very low, and none were statistically significant.

IV. DISCUSSION

The "adaptation" effect noted in the TS portion of the experiment while stimulating with the NBN arousal sound could be of practical importance. It would certainly suggest using clicks rather than NBN in order to avoid lessening of AR action over time. It could also indicate the reflex stimulus itself is inducing auditory fatigue in the reflex ear, a situation in itself that is not desirable.

The failure to find TS and TTS correlated is somewhat disappointing but not necessarily unexplainable. Several possibilities come to mind. The range of TTS induced in this experiment was necessarily restricted.

Subjects were very carefully exposed to the gunfire in order that no one incur a permanent threshold shift. Because of individual differences in noise susceptibility, almost a third of the Ss had little or no TTS in the no AR condition, indicating they were insufficiently stimulated. Restriction of the range of the TTSs in the manner could serve to decrease the possibility of obtaining significant correlations with the TS method where the range of response was not so restricted. The restriction imposed, in effect, could magnify the relative contribution of chance variation to the total variance and in that manner reduce correlation. Another possibility is that two (or more) factors operate in determining TTS. One is amount of attenuation of ambient sound provided by AR action (indicated in our case by TS obtained in Phase I); the other is the relative sensitivity of the individual to noise induced threshold shifts. This sensitivity to noise induced threshold shift could be completely divorced from the size of the same person's TS to an AR arousal signal. Therefore, even if, in a specific case, S had a large TS, indicative of considerable AR attenuation of sound, the individual's noise susceptibility or sensitivity could be so great that the exposure sound still produced a large TTS. In this case then, random association of sensitivity to noise induced threshold shifts with AR attenuation might obscure the expected relation of TS and TTS.

The above reasoning suggests another important possibility for AR research. Perhaps we can study or possibly even predict noise sensitivity by determining AR action, then exposing S to noise and noting TTS. If TS were great and TTS great, this could indicate sensitivity to noise induced hearing loss. If TS were small and TTS small, one might predict the person has "tough" ears. Prediction would be difficult, however, in the mid-range of both TS and TTS. Certainly it would be worth while to investigate this possibility.

V. SUMMARY AND CONCLUSIONS

The purpose of the experiment was twofold: to compare the effectiveness of narrow band noise and a train of clicks in eliciting the middle ear acoustic reflex and to correlate two methods of estimating amount of reflex activation. One method involved measurement of increase in threshold in the contralateral ear; the other, measurement of reduction of TTS produced by a series of gun shots. Sixteen subjects were employed. Shifts produced by the clicks and noise were of the same order of magnitude (after correction for the direct masking effect by the clicks), but there was considerable reflex adaptation to the noise and none for the clicks. Correlations between contralateral threshold shift and reduction of TTS were small and not significant.

VI. REFERENCES

1. Galambos, R. and Rupert, A. J. Acoust. Soc. Am. 31, 401, (1959).
2. Simmons, F. Ann. Otol. Rhin. Laryng. 68, 1126 (1959).
3. Hilding, D. Ann. Otol. Rhin. Laryng. 69, 51 (1960).
4. Loeb, M. and Riopelle, A. J. Acoust. Soc. Am. 32, 602 (1960).
5. Shapley, J. Proc. Iowa Acad. Sci. 61, 417 (1954).
6. Fletcher, J. and Riopelle, A. J. Acoust. Soc. Am. 32, 401 (1960).
7. Metz, O. Acta-otolaryng. Suppl. 43 (1946).
8. Mendelson, E. J. Acoust. Soc. Am. 33, 146 (1961).
9. Wersall, R. Acta-otolaryng. Suppl. 139, (1958).
10. Loeb, M. and Fletcher, J. USAMRL Report No. 478 (1961).

DISTRIBUTION LIST OF USAMRL REPORTS

Project No. 6X95-25-001 Psychophysiological Studies

No. of
Copies

AGENCY - DEFENSE

10 Armed Services Technical Information Agency, Arlington Hall Sta, Arlington 12, Virginia

AGENCY - US ARMY

- 1 Aberdeen Proving Ground, US Army Ordnance, Human Engineering Laboratory, Aberdeen Proving Ground, Maryland, Attn: Dr. J. D. Weiss, Director
- 1 Adjutant General, Department of the Army, Washington 25, D. C., Attn: AGTL
- 6 Army Attache, Box 79, Fleet Post Office, New York, N. Y., Attn: Col. John C. Cressler, Asst Army Attache (Medical)
- 1 Brooke Army Medical Center, US Army Surgical Research Unit, Library, Building 2653, Fort Sam Houston, Texas
- 1 Brooke Army Medical Center, Headquarters, Army Medical Service School, Physical Medicine Branch, Fort Sam Houston, Texas, Attn: Captain Rachel Adams
- 1 Brooke Army Medical Service School, Publication Branch, Fort Sam Houston, Texas, Attn: Publication Branch
- 1 Brooke General Hospital, Medical Library, Box 151, Fort Sam Houston, Texas, Attn: Medical Librarian
- 1 Brooke General Hospital, Brooke Army Medical Center, Radioisotope Clinic, Fort Sam Houston, Texas
- 1 Chief Chemical Officer, Department of the Army, Washington 25, D. C., Attn: DCCM10/SA
- 1 Chief of Ordnance, ORDTB, Washington 25, D. C., Attn: Res and Spec Proj Section
- 1 Chief of Research and Development, Chief Human Factors Research Division, Army Research Office, Room 3D-442, The Pentagon, Department of the Army, Washington 25, D. C.
- 1 Chief of Research and Development, Chief, Life Sciences Division, Room 3D-442, The Pentagon, Washington 25, D. C.
- 1 Chief of Research and Development, Army Research Office, Washington 25, D. C., Attn: Scientific Information Branch
- 1 Commanding General, US Army Alaska, APO 949, Seattle, Washington, Attn: Surgeon
- 1 Commanding General, US Army Europe, Medical Laboratory, Department of Microbiology, APO 180, US Forces, New York, N. Y.
- 1 Commanding General, US Army Europe, Medical Division, Plans and Operations Branch, APO 403, New York, N. Y., Attn: Chief Surgeon
- 1 Commanding General, US Army Hawaii, APO 957, San Francisco, California, Attn: Surgeon
- 1 Commanding General, US Army Japan, APO 343, San Francisco, California, Attn: Surgeon
- 1 Commanding General, US Army Ryukyu, Islands IX Corps, APO 331, San Francisco, California, Attn: Surgeon
- 1 Commanding General, Eighth US Army, APO 301, San Francisco, California, Attn: Surgeon
- 1 Commanding General, 7th Logistical Command, APO 612, San Francisco, California, Attn: Surgeon
- 1 Commanding General, I Corps Group, APO 358, San Francisco, California, Attn: Surgeon
- 1 Commander in Chief, US Army Pacific, APO 958, San Francisco, California, Attn: Surgeon
- 1 Fitzsimons General Hospital, Medical Technical Library, Denver 30, Colorado
- 1 Fitzsimons General Hospital, US Army Medical Research and Nutrition Laboratory, Denver, 30, Colorado
- 1 Picatinny Arsenal, Dover, New Jersey, Attn: ORDBB-VS3
- 2 Quartermaster Research and Engineering, Commanding General, Natick, Massachusetts, Attn: Technical Library
- 1 Quartermaster Research and Engineering Field Evaluation Agency, Fort Lee, Virginia, Attn: Technical Library
- 1 Redstone Arsenal, Commander, Redstone Arsenal, Alabama, Attn: ORDDW-HI

No. of
Copies

US ARMY - CONTINUED

- 1 Surgeon General, Department of the Army, Professional Division, Washington 25, D. C.
Attn: Psychiatry and Neurology Consultant
- 1 Valley Forge Army Hospital, Pheonixville, Pennsylvania, Attn: Medical Library
- 1 William Beaumont General Hospital, Medical Library, El Paso, Texas, Attn: Med. Librarian
- 1 US Army Air Defense, Human Research Unit, Fort Bliss, Texas, Attn: Library
- 1 US Army Armor Human Research Unit, Director, Fort Knox, Ky., Attn: Librarian
- 1 US Army Armor Infantry Human Research Unit, Director of Research, Post Office Box 2086,
Fort Benning, Georgia, Attn: Library
- 1 US Army Chemical Research and Development Laboratories, Technical Library, Building 330,
Army Chemical Center, Maryland, Attn: Librarian
- 2 US Army Medical Center, Director of Medical Research ORDC, Army Chemical Center, Maryland
- 1 US Army Chemical Corps, Biological Laboratories, Fort Detrick, Maryland, Attn:
Documents Librarian
- 1 US Army Dispensary, Springfield Armory, Springfield, Massachusetts
- 1 US Army Engineer Research and Development Laboratories, Fort Belvoir, Virginia, Attn:
Technical Documents Center
- 1 US Army Environmental Hygiene Agency, Commanding Officer, Army Chemical Center, Maryland
- 1 US Army Hospital, Fort Lee, Virginia, Attn: Medical Library
- 1 US Army Liaison Group, Project Michigan, Willow Run Laboratories, Ypsilanti, Michigan,
Attn: Lt. Col. R. S. Johnston, Executive Officer
- 1 US Army Medical Command Japan, Medical General Laboratory (406) APO 343, San Francisco,
California, Attn: Colonel Carl F. Tessmer, MC, Commanding
- 1 US Army Leadership, Human Research Unit, Library, Post Office Box 787, Presidio of
Monterey, California
- 2 US Army Medical Liaison Branch, Office of the Chief Surgeon, Gorgas Hospital, Balboa
Heights, Canal Zone
- 3 US Army Medical Research and Development Command, Commanding General, Main Navy Bldg.,
Washington 25, D. C.
- 1 US Army Medical Research Unit, Commanding Officer, Panama Field, Fort Clayton, Canal Zone
- 1 US Army Medical Unit, Commanding Officer, Fort Detrick, Maryland
- 1 US Army Medical Research Unit, Institute for Medical Research, Kuala Lumpur, Malaya
- 1 US Army Ordnance Arsenal, Frankford, Philadelphia 37, Pennsylvania, Attn: ORDBA-1734/65-1
Mr. A. Charles Karr
- 2 US Army Ordnance Tank-Automotive Command, Detroit Arsenal, Center Line, Michigan
- 1 US Army Medical Research and Development Command, Office of The Surgeon General, Attn:
MEDDH-HR
- 1 US Army Standardization Senior Representative, US Army Standardization Group, Canada
c/o US Army Attache, US Embassy, Ottawa, Ontario, Canada, Attn: Col Joseph R. Blair
- 1 US Army Tropical Research Medical Laboratory, APO 851, New York, N. Y.
- 1 US Army Research Office, OORD, Department of the Army, Washington 25, D. C., Attn:
Scientific Info. Branch
- 1 US Atomic Energy Commission, Division of Biology and Medicine, Washington 25, D. C.
Attn: Robert L. Corsbie
- 3 Walter Reed Army Institute of Research, Walter Reed Army Medical Center, Director,
Washington 12, D. C.
- 1 Walter Reed Army Institute of Research, Division of Neuropsychiatry, Office of the Dir.,
Washington 12, D. C.
- 1 Walter Reed Army Hospital, Army Audiology and Speech Center, Forest Glen Section,
Washington 12, D. C.
- 1 Walter Reed Army Medical Center, Commanding Officer, US Army Prosthetics Research
Laboratory, Washington 12, D. C.
- 1 Walter Reed Army Medical Center, US Army Medical Service, Historical Unit, Washington 12,
D. C., Attn: Mrs. Esther E. Rohlander, Asst Chief, General Reference and Research Br

No of
Copies

AGENCY - US NAVY

- 1 Bureau of Aeronautics (AE-14), Department of the Navy, Washington 25, D. C.
- 2 Bureau of Medicine and Surgery, Director Research Division, Department of the Navy, Washington 25, D. C.
- 1 Bureau of Naval Weapons (RAAE-13), Department of the Navy, Washington 25, D. C., Attn: Capt. Walton L. Jones, (MC) USN
- 2 Bureau of Yards and Docks, Department of the Navy, Washington 25, D. C., Attn: Code D-440
- 1 Chief of Naval Air Technical Training, US Naval Air Station, Memphis 75, Tennessee, Attn: Staff Medical Officer
- 1 Naval Air Crew Equipment Laboratory, Naval Air Material Center, Philadelphia 12, Pa.
- 1 Naval Air Reserve Training, Staff Medical Officer, US Naval Air Station, Glenview, Ill.
- 1 Naval Medical Research Institute, Technical Reference Library, National Naval Medical Center, Bethesda 14, Maryland
- 1 Naval Medical Research Laboratory, Box 100, Naval Submarine Base, New London, Conn.
- 1 Office of Naval Research, (Code 454) Department of the Navy, Washington 25, D. C.
- 1 Office of Naval Research (Code 408) Department of Navy, Special Assistant for Medical and Allied Sciences, Washington 25, D. C.
- 10 Office of Naval Research Branch Office, Navy 100, Box 39, Fleet Post Office, New York, New York, Attn: Victoria S. Greswold, Head, Administrative and Tech Service Branch
- 1 US Naval Air Development Center, Aeronautical Instrument Laboratory, Johnsville, Pa. Attn: Simulation Branch
- 1 US Naval Air Development Center, Aviation Medical Acceleration Laboratory, Johnsville, Pennsylvania, Attn: Library
- 1 US Naval Civil Engineering Laboratory, Port Hueneme, California, Attn: Code 313
- 1 US Naval Medical Neuropsychiatric Research Unit, San Diego 52, California
- 2 US Naval Missile Center, Point Mugu, California, Attn: Technical Library
- 1 US Naval Medical School, National Naval Medical Center, Commanding Officer, Bethesda 14, Maryland
- 1 US Naval Ordnance Test Station, The Medical Officer (Code 88), Station Hospital, China Lake, California
- 1 US Naval Radiological Defense Laboratory, Commanding Officer and Director (222), San Francisco 24, California
- 1 US Naval Research Laboratory, Code 2027, Washington 25, D. C.
- 1 US Naval School of Aviation Medicine, Aviation Psychology Laboratory, US Naval Aviation Medical Center-54, Pensacola, Florida
- 2 US Naval School of Aviation Medicine, Director of Research, US Naval Aviation Center 54, Pensacola, Florida
- 2 US Naval Training Device Center, Human Engineering Department, Code 34, Port Washington, New York
- 1 US Naval Weapons Plant, Experimental Diving Unit, Washington 25 D. C.

AGENCY - AIR FORCE

- 1 Air Force Flight Test Center, Human Factors Branch (FTFH) Edwards Air Force Base, California, Attn: Chief, of Human Factors
- AIR RESEARCH AND DEVELOPMENT COMMAND
- 1 Air Research and Development Command, US Air Force, (RDGBL) Andrews Air Force Base, Washington 25, D. C.
 - 1 Air Research and Development Command, Office of Scientific Research, Behavioral Sciences Division, Washington 25, D. C.
 - 5 Air Research and Development Command, Operations Office, Laurence G. Hanscom Field, Bedford, Massachusetts, Attn: CCRHA
 - 3 Air Research and Development Command, Operational Applications Office, (CCRH), Laurence G. Hanscom Field, Bedford, Massachusetts
 - 1 Air Research and Development Command, Wright Air Development Center, US Air Force, Wright-Patterson Air Force Base, Ohio, Attn: D. G. Pitts, Vision

No. of
Copies

AIR FORCE - CONTINUED

AIR RESEARCH AND DEVELOPMENT COMMAND CONTINUED

- 1 Wright Air Research and Development Command, (WWRDAS Aerospace Medical Library) WADD
Wright-Patterson Air Force Base, Ohio
- 1 Wright Air Development Division, US Air Force, Aerospace Medical Division, Wright-
Patterson Air Force Base, Ohio, Attn: WWRDAS, Lt Col. Stanley L. Plecha
- 1 Wright Air Development Division, Wright-Patterson Air Force Base Ohio, Attn: WWRDMA
- 2 Air Training Command, Office of The Surgeon General-P, Randolph Air Force Base, Texas
- 1 Arctic Aeromedical Laboratory, APO 731, Seattle, Washington, Attn: Library
- 1 Assistant for Ground Safety, DCS/P, US Air Force, Washington 25, D. C.
- 1 Ent Air Force Base, Command Surgeon, US Army Air Defense Command, Colorado, Springs,
Colorado, Attn: Colonel S. J. Newsom, MC
- 1 Ent Air Force Base, Commander Air Development Center, OAO, Human Factors, Box 15,
Colorado Springs, Colorado
- 1 Human Factors Division, Director of Research and Technology, US Air Force, Washington
25, D. C., Attn: Chief, Human Factors Division
- 3 Langley Research Center, National Aeronautics and Space Administration, Langley Field,
Virginia, Attn: Librarian
- 1 Rome Air Development Center, Air Research and Development Command, US Air Force, Griffiss,
Air Force Base, New York
- 2 US Air Force Aerospace Medical Center, SAM, (SAMRSCH-P) Brooks Air Force Base, Texas
- 1 US Air Force Hospital, US Air Force Aerospace Medical Center (ATC), Lackland Air Force
Base, Texas, Attn: Medical Librarian
- 1 US Air Force, Strategic Air Command, (SUP3), Offutt Air Force Base, Nebraska

GOVERNMENTAL - AGENCIES

- 1 Argonne National Laboratory, 9700 South Cass Avenue, Argonne, Illinois, Attn: Hoylande
D. Young
- 1 Central Intelligence Agency, 2430 E. Street, N.W., Washington, D. C., Attn: 1331, R&S Bldg.
- 1 Civil Aeromedical Research Institute, Federal Aviation Agency, Post Office Box 1082,
Oklahoma City, Oklahoma
- 1 Library of Congress, Science and Technology Division, Washington 25, D. C., Attn: Dr.
A. J. Jacobius
- 1 National Institute of Health, Library, Building 10, Room 3N118, Bethesda 14, Maryland,
Attn: Acquisitions Section
- 1 National Library of Medicine, 7th Street & Independence Ave, S.W., Washington 25, D. C.
- 1 National Institutes of Health, Division of Research Grants, Information Office, Bethesda
14, Maryland
- 1 Prosthetic and Sensory Aids Service, Chief, Research and Development Division, Veterans
Administration, 252 7th Ave., New York 1, New York, Attn: Eugene F. Murphy, Ph.D.

OTHER AGENCIES

- 1 Arctic Health Research Center, Library, Post Office Box 960, Anchorage, Alaska
- 1 Bell Telephone Laboratories, Murray Hill, New Jersey, Attn: Max S. Schoeffler
- 1 Boeing Airplane Company, Central Medical Library, Box 11-40, Post Office Box 3707,
Seattle, Washington
- 1 Boeing Airplane Company, Chief, Space Medicine Section, Aero-Space Division, Seattle 24,
Washington, Attn: Dr. Romney H. Lowry, (Box 19-29)
- 1 Boeing Airplane Company, Library, Wichita Division, Wichita 1, Kansas
- 1 Chrysler Corporation, Box 1118, Engineering Research Department 921, Detroit 31, Michigan,
Attn: John Versace, Engr. Psychologist
- 1 Electric Boat Division, General Dynamics Corp., Human Factors Section, Groton, Conn
- 1 Ford Motor Company, Technical Information Section, Scientific Laboratory, Post Office
Box 2053, Dearborn, Michigan
- 1 General Electric Company, Technical Military Planning Operation, Library, 735 State
Street, Santa Barbara, California

No. of
Copies

OTHER AGENCIES - CONTINUED

- 1 General Electric Company, Advanced Electronics Center, at Cornell University, Ithaca, New York
- 1 IBM Research Center, Biophysics Group, Box 218, Yorktown Heights, New York, Attn: Dr. W. R. Uttal
- 1 ITT Laboratories, Human Factors Division, 390 Washington Avenue, Nutley 10, New Jersey, Attn: Richard G. Lazar, Human Factors Analyst
- 1 John Crerar Library, 86 East Randolph Street, Chicago 1, Illinois
- 1 Mayo Clinic, Section of Biophysics, Rochester, Minnesota, Attn: Dr. Kenneth N. Ogle
- 1 Mercy Hospital, Anesthesia Research Laboratory, Locust and Pride Streets, Pittsburgh 19, Pennsylvania
- 1 Motorola Incorporated, Systems Research Laboratory, 9330 Indiana Avenue, Riverside, California, Attn: R. E. Freese, Tech Info Supervisor
- 7 National Aeronautics and Space Administration, 1520 H Street, N. W., Washington 25, D. C., Attn: Bertram A. Mulcahy, Asst Director for Technical Information
- 2 Rheem Califone Corporation, 1020 North La Brea, Los Angeles 38, California, Attn: Mr. W. R. Deutsch, Head, Research and Development
- 1 Space Technology Laboratory, Subcommittee on Noise, 327 South Alvarado Street, Los Angeles 57, California
- 1 Systems Research Center, Lockheed Electronics Company, Bedminster, New Jersey, Attn: R. E. Weaver, Box 37
- 1 Yerkes Laboratories of Primate Biology, Incorporated, Orange Park, Florida

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS

- 1 Albany Medical College Library, New Scotland Avenue, Albany 8, New York
- 1 Antioch College, Engineering Psychology Research Project, Yellow Springs, Ohio
- 1 Bowman Gray School of Medicine Library, Winston-Salem, North Carolina
- 1 Brown University, Department of Psychology, Providence 12, Rhode Island, Attn: Prof. L. A. Riggs
- 1 Brown University, Department of Psychology, Providence 12, Rhode Island, Attn: Prof. Harold Schlosberg, Consultant
- 1 College of Medical Evangelists, White Memorial Medical Library, 1720 Brooklyn Avenue, Los Angeles 33, California
- 1 College of Medical Evangelists, Vernier Radcliffe Memorial Library, Loma Linda, California
- 1 College of Physicians of Philadelphia, Library, 19 South 22nd Street, Philadelphia, 3, Pennsylvania
- 1 Columbia University, Department of Psychology, New York 27, New York, Attn: Dr. C. H. Graham
- 1 Columbia University Medical Library, 630 West 168th Street, New York 32, New York
- 1 Cornell University Medical College Library, 1300 York Avenue, New York 21, New York
- 1 Creighton University, Medical-Pharmacy Library, 1401 Davenport, Omaha 2, Nebraska
- 1 Emory University, Department of Psychology, Atlanta 22, Georgia, Attn: Dr. E. A. Alluisi
- 1 Florida State University, Department of Psychology, Tallahassee, Florida, Attn: Dr. W. W. Dawson
- 1 Fordham University, Fordham Road, New York 58, New York, Attn: R. T. Zegers, Sr.
- 2 George Washington University, Human Resources Research Office, P. O. Box 3596, Washington 7, D. C., Attn: Library
- 1 Harvard School of Public Health, 1 Shattuck Street, Boston 15, Massachusetts, Attn: Dr. Albert Damon
- 1 Harvard Medical Library, 25 Shattuck Street, Boston 15, Massachusetts, Attn: Library
- 1 Indiana University, Department of Psychology, Bloomington, Indiana, Attn: Prof. R. C. Davis
- 1 Indiana University Medical Center, School of Medicine Library, 1100 West Michigan Street, Indianapolis 7, Indiana
- 1 Indiana University Medical Center, 1199 West Michigan Street, Indianapolis 7, Indiana, Attn: Dr. Harris B. Shumacker Jr., Prof. of Surgery

No. of
Copies

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS

- 1 Indiana University, Anatomy-Physiology Department, Bloomington, Indiana, Attn: Dr. Sid Robinson
- 1 Jefferson Medical College Library, 1025 Walnut Street, Philadelphia 7, Pennsylvania
- 1 John Hopkins University, Welch Medical Library, 1900 E. Monument Street, Baltimore 5, Maryland
- 1 Kansas State University, Psychology Division, Manhattan, Kansas, Attn: Dr. William Bevan
- 1 Marquette University, Medical-Dental Library, 560 North 16th Street, Milwaukee, Wisconsin
- 1 Medical College of Virginia, Tompkins-McCaw Library, Richmond 19, Virginia
- 1 New York University, College of Engineering Research Division, 252 7th Avenue, New York New York,
- 1 New York Academy of Medicine Library, 2 East 103rd Street, New York 29, New York
- 1 New York University Medical Center, Medical Library, 550 First Avenue, New York 16, N. Y.
- 1 Northwestern University, Department of Psychology, Evanston, Illinois, Attn: William A. Hunt
- 1 Northwestern University Medical School, Archibald Church Library, 303 E Chicago Avenue, Chicago 11, Illinois
- 1 Ohio State University Research Center, Director, Aviation Psychology Laboratory, 1314 Kennear Road, Columbus 12, Ohio
- 1 Ohio State University Research Center, Psycholinguistics Laboratory, 1314 Kennear Road, Columbus 12, Ohio
- 1 Ohio State University, Topaz Library, School of Optometry, 338 West 10th Avenue, Columbus 10, Ohio
- 1 Ohio State University, School of Optometry, Columbus 10, Ohio, Attn: Glenn A. Fry, Dir. Librarian
- 1 Rush Medical College Library, 1758 West Harrison Street, Chicago 12, Illinois, Attn: Librarian
- 1 Stanford University, Lane Medical Library, 300 Pasteur Road, Palo Alto, California
- 1 Stanford University, Department of Physiology, Stanford, California, Attn: J. M. Crismon, M.D.
- 1 State University of Iowa, College of Medicine Library, Medical Laboratories Building, Iowa City, Iowa
- 1 State University of New York, Downstate Medical Center, Department of Anesthesiology, 450 Clarkson Avenue, Brooklyn 3, New York
- 1 State University of New York, Downstate Medical Center, Medical Library, 450 Clarkson Avenue, Brooklyn 3, New York
- 1 Texas Medical Center Library, Jesse H Jones Library Building, Houston 25, Texas
- 2 Tufts University Institute for Applied Experimental Psychology, Medford, Massachusetts
- 1 Tulane University, School of Medicine, 1430 Tulane Avenue, New Orleans 12, Louisiana, Attn: G. E. Burch, M.D., Professor of Medicine
- 1 West Virginia University, Medical Center Library, Morgantown, West Virginia
- 1 University of Alabama, Medical Center Library, 1919 Seventh Avenue South, Birmingham 3, Alabama
- 1 University of Arkansas, Medical Center Library, 4301 West Markham, Little Rock, Arkansas
- 1 University of Buffalo, Department of Psychology, Buffalo 14, New York
- 1 University of Buffalo, Health Sciences Library, Copen Hall 141, Buffalo 14, New York, Attn: Librarian
- 1 University of California, Medical Center, Biomedical Library, Los Angeles 24, California
- 1 University of Chicago, Laboratory of Physiological Psychology, Faculty Exchange Box 184, Chicago 37, Illinois, Attn: W. D. Neff
- 1 University of Illinois Airport, Aviation Psychology Laboratory, Savoy, Illinois
- 1 University of Illinois, Department of Psychology, Urbana, Illinois, Attn: W. E. Kappauf
- 1 University of Illinois, Department of Psychology, Training Research Laboratory, 45 Lincoln Hall, Urbana, Illinois, Attn: Professor Lawrence M. Stolurow, Ph.D.
- 1 University of Illinois, Documents Division, Urbana, Illinois
- 1 University of Illinois, Speech Hearing Clinics, 601 E. John Street, Champaign, Illinois, Attn: John J. O'Neill
- 1 University of Kansas, Medical Center, Clendening Medical Library, Kansas City, Kansas
- 3 University of Louisville, School of Medicine Library, 101 W. Chestnut St., Louisville, Ky.

No. of
Copies

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS

- 1 University of Miami, School of Medicine, Department of Ophthalmology, Miami 36, Florida
- 1 University of Michigan, 4506 Kresge Medical Research Building, Ann Arbor, Michigan, Attn: Dr. Merle Lawrence
- 1 University of Michigan, Serials and Documents Section, General Library, Ann Arbor, Michigan
- 1 University of Minnesota Library, Serials Division, Minneapolis 14, Minnesota
- 1 University of Nebraska, College of Medicine Library, 42nd and Dewey Avenue, Omaha, Nebraska, Attn: Librarian
- 1 University of North Carolina, Division of Health Affairs Library, North Carolina Memorial Hospital, Chapel Hill, North Carolina
- 1 University of North Carolina, Department of Medicine, Chapel Hill, North Carolina, Attn: Dr. Richard L. Dobson
- 1 University of North Carolina, School of Medicine, Department of Physiology, Chapel Hill, North Carolina
- 1 University of Oklahoma, Medical Center Library, 801 N. E. 13th Street, Oklahoma City 4, Oklahoma
- 1 University of Oregon, Medical School Library, Portland 1, Oregon, Attn: Librarian
- 1 University of Pittsburgh, Falk Library of the Health Professions, Pittsburgh 13, Pa
- 1 University of Pittsburgh, Graduate School of Public Health, Pittsburgh 13, Pa
- 1 University of Rochester, Department of Psychology, Rochester 20, New York, Attn: Dr. S. D. S. Spragg
- 2 University of Tennessee, College of Medicine, Clinical Physiology - Institute of Clinical Investigations, 62 South Dunlap, Memphis 3, Tennessee
- 1 University of Tennessee, Medical Units, Mooney Memorial Library, 62 South Dunlap, Memphis 3, Tennessee
- 1 University of Utah, Medical Library, Salt Lake City, 12, Utah
- 1 University of Vermont, College of Medicine Library, Burlington, Vermont
- 1 University of Virginia, Division of Educational Research, Old Cabell Hall, Charlottesville, Virginia
- 1 University of Virginia, Medical Library, University Hospital, Charlottesville, Virginia
- 1 University of Virginia, Psychological Laboratory, Peabody Hall, Charlottesville, Virginia
- 1 University of Washington, Health Sciences Library, Seattle 5, Washington
- 1 University of Wisconsin, Psychological Abstracts, 600 N. Park St., Madison 6, Wisconsin
- 1 University of Wisconsin, Medical School Library, S.M.I. Building, N Charter Street, Madison 6 Wisconsin
- 1 University of Wisconsin, Physiology Studies Division, 600 N. Park Street, Madison 6, Wisconsin, Attn: Janice Gams, Administrative Assistant

FOREIGN

- 1 American Embassy, Office of the United States Army Attache, Foreign Service of the United States of America, London, England, Army Attache, (Medical)
- 1 British Army Medical Liaison Officer, British Army Staff, British Embassy, Washington 8, D. C.
- 1 British Navy Staff Office, Benjamin Franklin Station, Post Office Box 165, Washington, D. C., Attn: Surgeon, Captain F. P. Ellis
- 10 Canadian Liaison Office, US Army, Office of The Surgeon General, Room 1709A, Main Navy Building, Washington 25, D. C.
- 2 Defence Research Member, Canadian Joint Staff, 1450 Massachusetts Avenue, N. W., Washington 8, D. C.
- 1 J. J. Thomson Physical Laboratory, Reading University, Whiteknights Park, Reading, England Attn: Professor R. W. Ditchburn
- 1 Karolinska Institute, Department of Histology, Stockholm 60, Sweden, Attn: Dr. Jan Wersall
- 1 Royal Society of Medicine, Library, 1 Wimpole Street, London W.1, England
- 1 Università Di Pisa, Istituto De Fisiologia, Pisa, Italy, Attn: Professor Giuseppe Moruzzi

No. of
Copies

FOREIGN

- 1 Institute of Occupational Health, Haartmaninkatu 1, Helsinki, Finland, Attn: Dr Martti J. Karvonen, Director of the Physiological Department
- 2 University of Western Ontario, Medical School, Department of Biophysics, South Street, London, Ontario, Canada, Attn: Dr. Allen C. Burton
- 1 University of Western Ontario, Department of Physiology, London, Ontario, Canada, Attn: Professor J. A. F. Stevenson

AD Accession No.

US Army Medical Research Lab, Ft. Knox, Ky.
CONTRALATERAL THRESHOLD SHIFT AND REDUCTION IN
TEMPORARY THRESHOLD SHIFT AS INDICES OF ACOUSTIC
REFLEX ACTION - J. L. Fletcher and M. Loeb
Report No. 490, 22 Aug 61, 9 pp & ii - 2 illus.

UNCLASSIFIED
1. Audition
2. Acoustic Reflex
3. Psychology

2 tables - Project No. 6X95-25-001, Unclassified Report
This experiment compared the effectiveness of noise and clicks in eliciting
intratympanic acoustic reflex (AR) action and correlated the contralateral
threshold shift (TS) and reduction of temporary threshold shift (TTS) methods
of estimating amount of reflex activation. Shifts (TS) produced by the
clicks and by the noise were of the same order of magnitude but considerable
reflex adaptation to the noise was noted over a two-minute period while none
was observed to the clicks. Correlations between the contralateral threshold
shift (TS) and reduction of TTS methods were small and not statistically sig-
nificant. Possible reasons for the lack of correlation were discussed.

AD

US Army Medical Research Lab, Ft. Knox, Ky.

CONTRALATERAL THRESHOLD SHIFT AND REDUCTION IN
TEMPORARY THRESHOLD SHIFT AS INDICES OF ACOUSTIC
REFLEX ACTION - J. L. Fletcher and M. Loeb
Report No. 490, 22 Aug 61, 9 pp & ii - 2 illus.

UNCLASSIFIED
1. Audition
2. Acoustic Reflex
3. Psychology

2 tables - Project No. 6X95-25-001, Unclassified Report
This experiment compared the effectiveness of noise and clicks in eliciting
intratympanic acoustic reflex (AR) action and correlated the contralateral
threshold shift (TS) and reduction of temporary threshold shift (TTS) methods
of estimating amount of reflex activation. Shifts (TS) produced by the
clicks and by the noise were of the same order of magnitude but considerable
reflex adaptation to the noise was noted over a two-minute period while none
was observed to the clicks. Correlations between the contralateral threshold
shift (TS) and reduction of TTS methods were small and not statistically sig-
nificant. Possible reasons for the lack of correlation were discussed.

AD Accession No.

US Army Medical Research Lab, Ft. Knox, Ky.
CONTRALATERAL THRESHOLD SHIFT AND REDUCTION IN
TEMPORARY THRESHOLD SHIFT AS INDICES OF ACOUSTIC
REFLEX ACTION - J. L. Fletcher and M. Loeb
Report No. 490, 22 Aug 61, 9 pp & ii - 2 illus.

UNCLASSIFIED
1. Audition
2. Acoustic Reflex
3. Psychology

2 tables - Project No. 6X95-25-001, Unclassified Report
This experiment compared the effectiveness of noise and clicks in eliciting
intratympanic acoustic reflex (AR) action and correlated the contralateral
threshold shift (TS) and reduction of temporary threshold shift (TTS) methods
of estimating amount of reflex activation. Shifts (TS) produced by the
clicks and by the noise were of the same order of magnitude but considerable
reflex adaptation to the noise was noted over a two-minute period while none
was observed to the clicks. Correlations between the contralateral threshold
shift (TS) and reduction of TTS methods were small and not statistically sig-
nificant. Possible reasons for the lack of correlation were discussed.

AD

US Army Medical Research Lab, Ft. Knox, Ky.

CONTRALATERAL THRESHOLD SHIFT AND REDUCTION IN
TEMPORARY THRESHOLD SHIFT AS INDICES OF ACOUSTIC
REFLEX ACTION - J. L. Fletcher and M. Loeb
Report No. 490, 22 Aug 61, 9 pp & ii - 2 illus.

UNCLASSIFIED
1. Audition
2. Acoustic Reflex
3. Psychology

2 tables - Project No. 6X95-25-001, Unclassified Report
This experiment compared the effectiveness of noise and clicks in eliciting
intratympanic acoustic reflex (AR) action and correlated the contralateral
threshold shift (TS) and reduction of temporary threshold shift (TTS) methods
of estimating amount of reflex activation. Shifts (TS) produced by the
clicks and by the noise were of the same order of magnitude but considerable
reflex adaptation to the noise was noted over a two-minute period while none
was observed to the clicks. Correlations between the contralateral threshold
shift (TS) and reduction of TTS methods were small and not statistically sig-
nificant. Possible reasons for the lack of correlation were discussed.

